

## REQUISITION FORM FOR ICP-MASS & ICP-OES

<p><b>NAME:</b> <input style="width: 600px; height: 25px;" type="text"/></p> <p><b>DISTINCTION:</b> <input style="width: 550px; height: 25px;" type="text"/></p> <p><b>ADDRESS:</b> <input style="width: 580px; height: 25px;" type="text"/></p> <p><b>TEL. / MOBILE NO.:</b> <input style="width: 220px; height: 25px;" type="text"/> <b>EMAIL:</b> <input style="width: 390px; height: 25px;" type="text"/></p> <p><b>CODE OF SAMPLE:</b> <input style="width: 720px; height: 25px;" type="text"/></p>	<p><b>For Official Use Only</b></p> <p><b>Reference No.</b> <input style="width: 160px; height: 25px;" type="text"/></p> <p><b>Date:</b>    /    /</p>
--	--

### Detail of Analysis

**TYPES OF SAMPLES:** ☐ SOLID    ☐ LIQUID    **OTHERS:**

**TYPES OF ANALYSIS:** ☐ ICP-MASS    ☐ ICP-OES    ☐ LASER ABLATION\*    ☐ MERCURY ANALYSIS

**AFTER ANALYSIS:** - ☐ RETUN    ☐ DISPOSE

Please fill in the expected results:

GRO.	All	Sel	ELEMENTALS															CONCENTRATION EXPECTED	
																		ppm	ppb
A			Ag	Al	As	B	Ba	Be	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er		
			Eu	Fe	Ga	Gd	Ho	K	La	Lu	Mg	Mn	Na	Nd	Ni	P	Pb		
			Pr	Rb	S	Se	Sm	Sr	Th	Tl	Tm	U	V	Yb	Zn				
B			Ge	Hf	Mo	Nb	Sb	Si	Sn	Ta	Te	Ti	W	Zr					
C			Au	Ir	Os	Pd	Pt	Re	Rh	Ru									
D			Bi	In	Li	Sc	Tb	Y											

### GUIDELINES SUBMISSION FORM (ICP-MASS)

- **Sample quantity minimum required 25ml.**
- **Sample filtered by 0.45µm.**
- All samples must be submitted with sample submission form. This should be typed. Please fill out 1 Sample Request Form for each sample and provide enough sample for acquisition.
- Clearly label all samples on bottles.
- You must write a brief description of the sample, (sample type, e.g. solid or liquid sample, etc.).
- ICP major elements analysis typically has a usual turnaround time of one two weeks.
- Amount sample quantity Ample, and Bug-free in order to conduct the analysis required.
- After the 3 months' period we will dispose of the samples.
- All students take responsibility to ensure the approval of their supervisor before submitting any samples for analysis.
- Laser Ablation is not Installation now; Installation will be soon.

**SIGNATURE**

**DATE:**    /    /